



4 Hewitt St, Moorabbin  
Ph: 03 9532 1387 Fax: 03 9553 5226  
Email: [kencrp@bigpond.com](mailto:kencrp@bigpond.com)  
[www.concreterepairproducts.com.au](http://www.concreterepairproducts.com.au)



# CRP

## BCRP

(bcrp bitumen concrete road  
prime)

### INTRODUCTION

Due to its totally unique formulation and blend of bitumen resins and hydrocarbons, CRP BCRP is an excellent cold applied primer coat, for asphalt and bitumen overlays.

It is ideally suitable for bridge decks and road construction where a concrete curing compound has been removed and bitumen primer is required before the application of bitumen/asphalt wearing slab.

### BENEFITS/uses

Ideal primer coat for asphalt or bitumen overlays on concrete roads, bridges or parking decks  
Totally water based with no solvent odour  
Can be applied to smooth or textured finish including broom finish.

**Aids in the curing of concrete.**

### SURFACE APPLICATION

#### Fresh concrete

Apply CRP BCRP to the concrete as soon as the bleed water has gone and the new concrete has hardened sufficiently so as not to be marked by the application process. Apply CRP BCRP undiluted at a rate of 1 litre per

4.0m<sup>2</sup>. Best applied by spray, however, may also be applied by brush, roller or broom.

#### OLDER CONCRETE

Apply CRP BCRP to a clean surface .  
The surface can be dry or damp, but must not have standing water (puddles) .  
Surface must be free of dirt, dust ,oils or substances and objects that could effect the bonding of CRP BCRP .

### TYPICAL PROPERTIES AND APPLICATION DATA

*Appearance:* black homogenous

*Coverage:* 4m<sup>2</sup> per litre

*Viscosity:* 0.22 Pascal seconds

*Solids:* 50 +/- 1%

*Solubility in Water:* Soluble

*Flash Point:* 84°C

*Solvents:* Not applicable

*Shelf Life:* 12 months maximum

*Dry Time: Tack Free:* 1 - 3 hours

*Hard Dry:* 4 - 8 hours

*Trafficable:* 8 hours

*Application Temperature:* 10°C - 35°C

*Application By:* - Spray - Brush

- Roller - Broom

*Packaging:* - 205Lt Eponlined drum

- 20 Lt Plastic Cube

*UN Number:* Not applicable

*Hazchem Code:* Not applicable

*Packaging Group:* Not applicable

*Poison Schedule:* 5

*Dangerous Goods Class:* Not applicable

**Refer to Material Safety Data Sheet for precautions and personal protection**

**Disclaimer:** Any advice, recommendation, information, assistance or service provided by CRP in relation to goods manufactured or supplied by them or their use and application is in good faith and is believed by CRP to be appropriate and reliable. However, any advice, recommendation, information, assistance or service provided by CRP is provided without liability