

 <p>CONCRETE REPAIR PRODUCTS</p> 	<p>CONCRETE REPAIR PRODUCTS</p> <p>112 A NARRACAN DRIVE</p> <p>NEWBOROUGH 3825</p> <p>E-MAIL kencrp@bigpond.com ABN 44568368372</p>
---	---

MATERIAL SAFETY DATA SHEET

CRP X40

Substance/preparation and manufacturer/ supplier identification

Page 1 of 8

01/06/2019

COMPANY DETAILS

Name: Concrete Repair Products
Address: 112A Narracan Drive Newborough 3825
Phone: 0418367454

Version :2.0

IDENTIFICATION


Product Name: CRP X40 **U.N. Number:** N/A
Shipping Name: N/A **Dangerous Goods Class:** N/A
Subsidiary Risk: N/A **Hazchem Code:** N/A
Poisons Schedule: 5 **Packaging Group:** N/A
Chemical Description: Emulsion of resin and low aromatic solvent in water.
Use: Concrete curing compound.

PHYSICAL DESCRIPTION / PROPERTIES

Appearance: Milky homogeneous liquid **Flammability Limit (%):** See Fire/ or with red fugitive dye **Explosion Hazard**
Solubility in water (g/l): Emulsifies **In organic solvents:** Part Soluble
Boiling Point: 100-196°C **Vapour Pressure @25°C:** NAS
pH: 7 **Relative Density:** 0.98
Volatiles (%): 10% hydrocarbon, 70% water **Shelf Life:** 12 months
Flash Point (°C): 84°C **Other properties:** NAS

INGREDIENTS

Chemical Entity CAS Number Proportion %
Hydrocarbon liquid 64742-89-7 Low approximately 10% WW
Hydrocarbon resin 68131-77-1 20-40%
Due to composition or concentration, all other ingredients exempted from HN and MRC Standard for Uniform Scheduling of Drugs and Poisons and TLV-Worksafe Australia.

 <p>CRP CONCRETE REPAIR PRODUCTS</p>	<p>CONCRETE REPAIR PRODUCTS</p> <p>112 A NARRACAN DRIVE</p> <p>NEWBOROUGH 3825</p> <p>E-MAIL kencrp@bigpond.com ABN 44568368372</p>
---	---

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Acute: Swallowed: Slight irritant

Eye: Moderate irritant

Skin: Slight skin irritant

Inhaled: Irritant, causes dizziness, loss of consciousness

Chronic: FIRST AID

Swallowed: Do not induce vomiting. Give glass of water. Contact a doctor or Poisons Information Centre.

Eye: Remove contact lenses. While holding eyes open gently flush with water for 15 minutes. Promptly obtain medical aid.

Skin: Remove contaminated clothes. Wash before re-use. Wash contaminated skin well with soap and water.

Inhaled: Remove to fresh air. Avoid becoming a casualty.

Apply artificial respiration if breathing stopped. Seek medical aid.

First Aid Facility: Ensure availability of clean water for eye/skin wash.

Advice to Doctor: Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Standards: See ingredients, page 1.

Engineering Controls:

Ventilation: Using non-ignitive equipment assure positive ventilation or suitable breathing equipment, *for example*, 3M Model 8712, to maintain vapour levels below TLV-TWA.

Personal Protection: Gloves Long Impervious: YES Overalls: YES

Eye Protection: YES

Flammability: N/A Flashpoint 84°C

SAFE HANDLING INFORMATION

Storage and Transport: Avoid heat, flames, oxidising agents

Spills: Wear appropriate personal protection and ensure adequate ventilation.

Sweep up first: YES

Wash down with detergent/water: YES

Absorb in dry inert material: YES

Disposal: *Observe all Federal, State and Local regulations.*

Fire/Explosion Hazard: Explosion Limit - upper: lower NAS

Dust explosion hazard: N/A

Hazardous decomposition products: NAS

Hazardous polymerisation products/reaction Unlikely

Extinguishing medium Foam CO²

Fire-fighters should wear self contained breathing apparatus in enclosed areas.

CRP

CONCRETE REPAIR PRODUCTS



CONCRETE REPAIR PRODUCTS

112 A NARRACAN DRIVE

NEWBOROUGH 3825

E-MAIL kencrp@bigpond.com ABN 44568368372

CONTACT POINTS

Concrete Repair Products

112A Narracan Drive Newborough 3825

All information contained in this Data Sheet is as accurate and up to date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness

